

! WARNING



小心紅火蟻 Watch out RIFA!

近日學校已完成紅火蟻投藥，請全體教職員生留意有插警示旗子位置，請勿任意移動或拔出旗子，導致影響下次投藥辨識位置。
避免在草地區域逗留，以防被紅火蟻叮咬，行走時請注意周圍環境。

Recently, the school has completed the application of fire ant pesticides. All faculty, staff and students are requested to pay attention to the location of the warning flag. Please do not move or pull out the flag arbitrarily, which will affect the identification of the location for the next pesticide application. Avoid lingering in grassy areas to avoid being bitten by fire ants, and please be aware of your surroundings when walking.

認識 如何辨認紅火蟻



- ◆**身體外觀**：體型較大、顏色較深偏紅、腹部有2節明顯腰節，大小介於0.2至0.6cm 之間，並具攻擊性。
- ◆**生活形態**：紅火蟻為地棲型生物，喜歡築巢在充滿陽光的草坪地，成熟蟻丘於土壤表面之堆積高度約10至30公分，內部蟻巢直徑則為30至50公分。



形態特徵

腹部有 2 節明顯腰節



火蟻所屬之家蟻亞科



非火蟻之其它亞科蟻蟻

觸角錘節部分由 2 節組成




火蟻屬錘節 2 節



大頭家蟻屬錘節 3 節

症狀 紅火蟻叮咬症狀



入侵紅火蟻以腹部螫針將毒液注入皮膚，引發灼熱、疼痛和搔癢等感覺。數小時後，被螫處形成膿泡，經過10天左右便可復原，但通常會留下疤痕。若膿泡破掉，容易引起細菌感染，少數體質敏感者，可能產生過敏性休克反應，嚴重者甚至死亡。

處理 叮咬後處理方式

1 以肥皂和清水清洗患部

2 冰敷

3 避免將膿泡弄破，以免細菌感染

4 出現過敏反應或呼吸困難等不適症狀，應盡速就醫

環安衛中心 關心您

Environmental Protection and Occupational Safety and Health Center